WELCOME to the



Intrastate New Entrant Safety Seminar

A copy of this presentation can be found on the FHP Commercial Vehicle Enforcement Webpage at

www.flhsmv.gov/fhp/CVE (Link also in your folder)



Restrooms





Certificate of Attendance


Please complete the form below (from your folder) and return to the Registration table to ensure you receive your Certificate of Attendance

Company Name:
DOT #:
Attention:
Mailing Address:
City:
State: FL
Zip Code:

SEPTEMBER 11, 2001



Never Forget!



April 19, 1995 - Oklahoma City

Commercial Vehicle Drivers

STAYALERT

Report suspicious activities to local law enforcement officials or call the FDLE Domestic Security Hotline:

(800) 342-0820

Motor Carriers:

FDLE criminal history information is available online:

http://www.fdle.state.fl.us/CriminalHistory/

The New Entrant Safety Seminar is not

a Comprehensive Training Program on the Federal Motor Carrier Safety Regulations or


Florida State Statutes, but a general overview of the requirements of motor carriers operating intrastate in Florida.

The Purpose is To Assist Motor Carriers in Learning:

Their Safety Responsibilities

The Requirements of Compliance
 With Applicable Regulations

How to Obtain More Information



Definitions

New Entrant – Motor carrier that applies for a USDOT identification number in order to initiate intrastate operations within the State of Florida.

<u>Motor Carrier</u> – A for-hire motor carrier or a private motor carrier; including a motor carrier's agents, officers and representatives as well as employees

<u>For-Hire Motor Carrier</u> – Company engaged in the transportation of goods or passengers for compensation.

<u>Private Motor Carrier</u> – Company that provides transportation of property or passengers, by commercial motor vehicle, and is not a for-hire motor carrier.

Definitions Cont.

<u>Commercial Motor Vehicle</u> – Any self-propelled or towed vehicle used on the public highways in commerce to transport passengers or cargo, if such vehicle:

- (a) Has a gross vehicle weight rating of 10,000 pounds or more;
- (b) Is designed to transport more than 15 passengers, including the driver;
- (c) Is used in the transportation of materials found to be hazardous

<u>Bus</u> - Any motor vehicle designed for carrying more than 10 passengers and used for the transportation of persons and any motor vehicle, other than a taxicab, designed and used for the transportation of persons for compensation.

Nonpublic Sector Bus - Any bus which is used for the transportation of persons for compensation and which is not owned, leased, operated, or controlled by a municipal, county, or state government or a governmentally owned or managed nonprofit corporation.

Safety-Sensitive Functions

- Driving or Attending a Commercial Motor Vehicle
- Loading or Unloading a CMV
- Inspecting, Servicing, or Repairing a CMV
- Waiting to be Dispatched or Remaining in Readiness to Operate a CMV





Pre-Employment Testing

No Employer Shall Allow a Driver to Perform Safety-Sensitive Functions

UNLESS

The Employer Has <u>RECEIVED</u> a Negative Controlled Substances Test Result.

Random Testing

Owner-Operators and Carriers With One Driver <u>MUST</u> Join a Consortium

Random Program Pools Must:

- •Use a scientifically valid method of selection
- •Ensure each driver has an equal chance of selection
- •Ensure random tests are unannounced
- •Spread tests reasonably throughout the year

Annual Testing Requirements:
Controlled Substances 50%
Alcohol 10%



"You're fired, Jack. The lab results just came back, and you tested positive for Coke."

Post-Accident Testing

Surviving drivers must be tested when loss of human life is involved,

OR

The driver receives a citation

AND

there is a patient transported by ambulance

OR

A vehicle has disabling damage requiring towing from the scene

49CFR Part 383.303 a & b

Administration of Post-Accident Tests

- Alcohol test within 2 hours Cease attempts to test after 8 hours
- Controlled substances test within 32 hours Cease attempts to test after 32 hours
- Prepare and maintain reasons for not promptly administering tests, if applicable

Reasonable Suspicion Testing

Based on a Trained Supervisor's Observations of

- Appearance
- Behavior
- Speech
- Body odors



Supervisor Training:

- 60 minutes on alcohol misuse, and
- 60 minutes on controlled substances use

*Not applicable to owner-operators in non-supervisory positions

Part 382 .401 – Retention of Drug and Alcohol Program Records:

Five Years:

Alcohol test results showing a concentration .02 or higher

Verified positive results of drug tests

Refusals to take drug or alcohol test (must be provided to future employers)

Driver evaluation and referrals

Records related to the administration of the program

Copy of each calendar year summary

A service agent (e.g., Consortia/Third party administrator may prepare the MIS report on behalf of an employer. However, a company official must sign/certify the accuracy and completeness of the MIS report, no matter who prepares it.

Two Years

Records related to the alcohol and controlled substances collection process (except calibration of evidential breath testing devices) including:

- ➤➤Random selection process records;
- ➤➤ Reasonable suspicion testing documentation;
- >> Post accident testing documentation; and
- ➤➤ Medical explanation for a driver's inability to provide adequate sample.

One Year

- >> Records of negative and cancelled substances test results; and
- >> Alcohol test results with a concentration of less than 0.02.

Indefinite Period

Records must be maintained by the employer while the individual performs the functions which require the training and for **two years** after ceasing to perform those functions.

- >> All records related to the training and education of drivers, supervisors, breath alcohol technicians, and screening technicians;
- >> Employer's testing policy; and
- ➤➤ Driver's signed receipt for educational materials and policy received.

Prohibited Conduct



- Drivers shall not perform safety-sensitive functions within 4 hours after using alcohol
- Drivers shall not possess alcohol in vehicle at any time unless it is part of a load
- Drivers who use controlled substances shall not perform safety-sensitive functions

Positive Driver--What Next?

- Driver must be removed from all safety sensitive functions
- Has to have a face-to-face evaluation by a Substance Abuse Professional (SAP)
- Must have "return-to-duty" test (observed)
- Must have minimum of 6 unannounced "follow-up" tests within 12 months

You do not have to retain a positive driver, however you must refer the driver to a SAP and maintain positive test records for five years.

Educational Materials

- Carriers must provide educational materials explaining the requirements of the regulations and the employer's policies regarding alcohol misuse and controlled substances abuse.
- Carriers must maintain original signed certificate of receipt of above for each driver.


Drug & Alcohol Program Records

- ☐ Secure Location
- Controlled Access
- Records Must Be Available For Inspection within 48 Hours When Requested by FMCSA or Agent



Maintain Records For the Minimum Period of Retention Set Forth in 49 CFR 382.401.

Commercial Driver Licenses



Drivers Must Be Licensed For Type of Vehicle Being Operated

Proper Class

- A, B, C

Proper Endorsements

- HM, Tank, Doubles/Triples, Passenger



Observe Restrictions

- Corrective Lenses, Hearing Aid, Air Brakes, etc.

Florida Statutes now state actual physical weight of the vehicle, in addition to GVWR are used in determining license class

2013 Legislative Updates

§316.3025(6), FL Statute Adds Mobile Phone and Texting Ban To All CMVs

				Penalties	
Florida Statute	Federal Regulation	Violations	1 st Offense	2 nd Offense	3 rd Offense
316.3025(6)(a)	49 CFR s. 392.82	Using Handheld Mobile Telephone While Driving a CMV	\$500	\$1000	\$2750
316.3025(6)(a)	49 CFR s. 392.80	Texting While Driving CMV	\$500	\$1000	\$2750
316.3025(6)(b)	49 CFR s. 392.82	Company Allowing or Requiring Driver of CMV to Use Handheld Mobile Telephone While Driving	\$2750	\$5000	\$11000
316.3025(6)(b)	49 CFR s. 392.80	Company Allowing or Requiring Driver of CMV to Text While Driving	\$2750	\$5000	\$11000

Legislative Reminders

- § 322.61, FL Statute Adds Violations That Will Result in Disqualification From Operating a CMV After Violating the Provisions of an Out-of-Service Order (1st offense 180 days, 2nd offense 2 years).
- § 316.3025(3)(b)(1)FL Statute Adopts \$100 Penalty for **Each** Violation of N. American Uniform Driver Out of Service Criteria
- § 316.3025(3)(b)(2) FL Statute Adopts \$100 Penalty for Violation of 12/16 and 70/80 Hour Rules.
- § 316.3025(3)(b)(3) FL Statute Adopts \$100 Penalty for Unauthorized Passengers per 49 CFR 392.60.
- § 316.3025(3)(b)(5), FL Statute Adopts \$100 penalty for not possessing a valid medical certification.
- §316.159(3), FL Statute States ALL Drivers of CMVs Are Required to Slow Before Crossing Railroad Tracks.

Commercial Motor Vehicle Insurance



§ 627.7415, FL Statute

Required Liability Coverage

- GVW 26,000 34,999 lbs \$ 50,000
- GVW 35,000 43,999 lbs \$100,000
- GVW 44,000 lbs or More \$300,000

Note:

- 49 C.F.R. Part 387 applies to certain forhire and hazardous materials carriers.
- § 627.742, FL Statute applies to nonpublic sector buses.

Accident Register 49 C.F.R. § 390.15

- Date of Accident
- City and State
- Driver Name
- Number of Injuries/Fatalities
- Hazardous Materials Released
- Copy of Accident Report

Maintain information for 3 years

ACCIDENT REGISTER

l			ACCIDI	21 1 1	LL GIO				
		FROM	, 2	.0	ТО			, 20	
Date & Hour of Accident		Location of A	Accident	No		No. of Non-Fatal	H/M	Driver's	Copy of State or
Date	Hour	Street Address	City	State	Deaths	Injuries		Name	Insurance Report

Motor Carrier Identification Report Form MCS-150

- File before beginning operations \$500 penalty for failure to register
- File an Update Within First Year of Operation and Then Every 24 Months
 Or when company information changes

Electronic filing is available online at www.fmcsa.dot.gov

Application for ISSOT Number) Application for ISSOT Number	Public reports provided confined to the any other asp	ng for this collection fidentiality to the ex- requirements of the ect of this collection	n of information is es stent allowed by the I e Paperwork Reducti n of information, inclu	timated to be 20 reedom of Infor on Act unless the iding suggestion	minutes per response, includi mation Act (FDIA). Not withso at collection of information di as for reducing this burden to:	ng the time anding any iplays a curr information	for reviewing in other provision rent valid OMB C Collection Clea	estructions and cor of law, no person is ontrol Number. The rance Officer, Feder	required to required to valid OM8 al Motor Ca	I reviewing t respond to r Control Num rrier Safety A	he collection nor shall a per oper for this in idministration	of information. All n son be subject to a formation collectio , MC-MMI, U.S. Depa	esponses to penalty for I n is 2126-00 artment of T	this collecti failure to co 173. Send co ransportatio	on of informa	tion are mands offection of info rding this burd in, D.C. 20590.			
DEMPARED DEMPARED DEMPARED DEMPARES NOTIFICATION DEMPIRED NAME OF MOTOR CARRIER										lepoi	rt								
PRINCIPAL ADDRESS 4. CITY 5. STATE/PROVINCE 6. ZP CODE+4 12. COLONIA (MEXICO ONLY) 10. STATE/PROVINCE 11. ZIP CODE+4 12. COLONIA (MEXICO ONLY) 13. PRINCIPAL BUSINESS PHONE NUMBER 14. PRINCIPAL CONTACT CELL PHONE NUMBER 15. PRINCIPAL BUSINESS FAN NUMBER 17. MC OR MX NO. 18. DUN & BRADSTREET NO. 19. INTERNET E-MAIL ADDRESS 21. CARRIBER MILEAGE (to rearnest 10,000 miles for last calender year) YEAR COMPANY OPERATION. Address filture apply 14. PRINCIPAL BUSINESS PHONE NUMBER 21. CARRIBER MILEAGE (to rearnest 10,000 miles for last calender year) YEAR COMPANY OPERATION. Address filture apply 15. International Home of the apply 16. International Home of the apply 17. International Home of the apply 18. International Home of th			_	L UPDATE O	R CHANGES	00	UT OF BUSI	NESS NOTIFIC	ATION		O RE	APPLICATION	(AFTER F	REVOCAT	ON OF N	IEW ENTRA	NT)		
MAILING ADDRESS	1. NAME OF MO	TOR CARRI	ER					2. TRADE	OR D.B.	A. (DOII	NG BUSI	NESS AS) N	AME	***************************************	***************************************				
PRINCIPAL BUSINESS PHONE NUMBER 14. PRINCIPAL CONTACT CELL PHONE NUMBER 15. PRINCIPAL BUSINESS FAX NUMBER 16. DIA CONTROL FAR STATE FAX NUMBER 17. CARRIER MILEAGE (to nearest 10,000 miles for last calender year) YEAR 16. DIA CONTROL FAR STATE FAX NUMBER 17. CARRIER MILEAGE (to nearest 10,000 miles for last calender year) YEAR 18. DIA CONTROL FAR STATE FAX NUMBER 18. FEEDER GOVERNMENT 18. DIA CONTROL FAX NUMBER 19. DIA CONT	3. PRINCIPAL AD	5. STATE/PROVINCE				6. ZIP CODE+4 7. CO				DLONIA (MEXICO ONLY)									
USDOT NO. 17. MC OR MX NO. 18. DUN & BRADSTREET NO. 19. IRSTAX ID NO. IDN SSN INTERNET E-MAIL ADDRESS 21. CARRIER MILEAGE (to nearest 10,000 miles for last calendar year) YEAR COMPANY OPERATION (Most of that agos)6 Internatical Carrier & 10. Improved the company of the com	8. MAILING ADDRESS 9. CITY							10. STATE/PROVINCE				11. ZIP CODE+4			OLONIA	(MEXICO	O ONLY)		
EIN SSN SSN COMPANY OFERATION (Mash oil that apple) (Interestate Hazmat Carrier D. Interestate Hazmat Shipper E. Intrastate Hazmat Shipper E.	13. PRINCIPAL BUSINESS PHONE NUMBER 14. PRINCIPAL CONTACT C						NTACT CE	LL PHONE	NUMBE	R		15. PRINCIPAL BUSINESS FAX NUMBER							
COMPANY OFFRATION (Most all that apply)	6. USDOT NO.		17. MC OR	MX NO.	18. DUN & BR	I													
Interstate Fazmar Carrior R	0. INTERNET E-N	AAIL ADDRI	ESS	· · · · · · · · · · · · · · · · · · ·				21. CARRI	ER MILI	AGE (to	o neares	t 10,000 mile	es for la	st caler	der yea	r) YEAR			
OPERATION CLASSIFICATION (Abek all trust carple) Authorized For-Hile B. Phivate Passengers (Ron-Business) H. Federal Government L. Inclain Tribe Carport For-Hile B. Phivate Passengers (Ron-Business) L. Sake Government L. Inclain Tribe Carport Classification (Assistance Company of the Carport Company of the C				Carrier	C. Intrastate Non-l	łazmat (Carrier I	D. Interstat	e Hazma	it Shippe	r E ,	Intrastate Ha	zmat Shi	pper F	. Vehi	:le Registra	int Only		
CARGO CLASSIFICATIONS (dark althority apply) GENERAL FIBEROUT GENERAL FIBE	. Authorized F	For-Hire Hire		. Priva	ate Passengers (Non-	ess) Busines	s) H	. Fed	eral Gove			J. П	Local Go Indian T	vernmei					
C S B NB R. DIV 22D (Ammonia) U. DIV 42 FF. CLASS 8 FF. CLASS	GENERAL FRE HOUSEHOLD METAL:SHEET MOTOR VEHIL DRIVE AWAY/ LOGS, POLES,	GOODS FS, COILS, ROL CLES TOWAWAY , BEAMS, LUME	G. H. LS I. J. K. BER L.	MOBILE MACHIN FRESH P LIQUIDS INTERM	HOMES HERY, LARGE OBJECTS PRODUCE J'GASES ODAL CONT.	N O P Q R	OIL FI LIVES GRAIN COAL	ELD EQUIPME TOCK N, FEED, HAY /COKE	NT 1	7. U.S J. CH V. CC V. RE	S.MAIL HEMICALS DMMODITI FRIGERAT VERAGES	ES DRY BULK ED FOOD	A E C	Z. IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	TILITY ARM SUP ONSTRU- VATER WE OTHER	PLIES			
Straight Truck Trailers Hazmat Cargo Tank Trucks Trailers Hazmat Cargo Tank Trucks Trailers Trucks Trailers Hazmat Cargo Tank Trucks Trailers Trucks Trucks Trailers Trucks Trailers Trucks Trucks Trailers Trucks T	DIV 1.1 DIV 1.2 DIV 1.3 DIV 1.4 DIV 1.5 DIV 1.6 DIV 2.1 (Flam.) DIV 2.1 (Metha	C S	B NB	K. DIV. L. DIV. M. DIV. N. DIV. O. DIV. P. Class Q. Class R. Class T. DIV.	C.2D (Ammonia) 3.3A 3.3B 3.3C 3		B NB	U. DIV V. DIV W. DIV X. DIV Y. DIV Z. DIV BB. DIV CC. DIV	4.2 4.3 5.1 5.2 6.2 6.1A 6.1B 6.1 POISO 6.1 SOLIT		в в П	NB EI FF G G H H II	E. HRCCE. G. CLAS G. CLAS CLAS CLAS CLAS CLAS MARMARM. HAZI N. HAZI	SS 8 SS 8A SS 8B SS 9 ATED TEN CTIOUS W INE POLL ARDOUS ARDOUS	IP MAT.				
Straight Trucks Tractors Trailers Hazmat Cargo Tank Trucks Trailers Coach School Bus Mini-bus Passenger Limousine	NUMBER OF VEHI	CLES THAT WI	LL BE OPERATE	D IN THE U.	S.			r	Misses		h lafa a sana		,						
WINED RIP LEASED DRIVERINFORWATION INTERSTATE INTRASTATE INTRASTATE TOTAL DRIVERS TOTAL CDL DRIVERS Within 100-Mile Radius Beyond 100-Mile Radius Beyond 100-Mile Radius IS YOUR USDOT NUMBER REGISTRATION CURRENTLY REVOKED BY THE FEDERAL MOTOR CARRIER SAFETY ADMINSTRATION? Yes No FYes, eriter your USDOT Number. PLEASE ENTERNAME(S) OF SOLE PROPRIETOR(S), OFFICERS OR PARTINERS AND TITLES (e.g. president, treasurer, general partner, limited partner) 1				Trailers						School B	us	Mini-bus	Passe V	enger an		Limousin			
DRIVERINFORMATION INTERSTATE INTRASTATE TOTAL DRIVERS TOTAL CDL. DRIVERS Within 100-Mile Radius Beyond 100-Mile Radius IS YOUR USDOT NUMBER REGISTRATION CURRENTLY REVOKED BY THE FEDERAL MOTOR CARRIER SAFETY ADMINSTRATION? Yes No No FYes, enter your USDOT Number. PLEASE ENTER NAWE(S) OF SOLE PROPRIETOR(S), OFFICERS OR PARTNERS AND TITLES (e.g. president, treasurer, general partner, limited partner) 1	OWNED FERM LEASED								1-0	9-13	10+	10+	9-15	10+	1-0	9-15	16+		
Within 100-Mile Radius Beyond 100 Mile Radius IS YOUR USDOT NUMBER REGISTRATION CURRENILLY REVOKED BY THE FEDERAL MOTOR CARRIER SAFETY ADMINISTRATION? Yes No No FYes, enter your USDOT Number. PLEASE ENTERNAME(S) OF SOLE PROPRIETOR(S), OFFICERS OR PARTNERS AND TITLES (e.g. president, treasurer, general partner, limited partner) 1		TION			INTERSTATE		1	NTRASTATE		Η-	TOTAL	RIVERS		L	TOTAL O	DI DRIVER	<u> </u>		
S YOUR USDOT NUMBER REGISTRATION CURRENTLY REVOKED BY THE FEDERAL MOTOR CARRIER SAFETY ADMINISTRATION? Yes No No No Yes No No No No No No No No No N			fius								TOTALL	MYLIG			0,,20	SC ISTANCE!			
FYER, ENTER NAME(S) OF SOLE PROPRIETOR(S), OFFICERS OR PARTNERS AND TITLES (e.g. president, treasurer, general partner, limited partner) 1				RENTLY REV	OKED BY THE FEDERA	N. MOTO	OR CARRIER	SAFETY ADIV	INISTRA	TION?	O Ye	s	O No						
1																			
certify that I am familiar with the Federal Motor Carrier Safety Regulations and/or Federal Hazardous Materials Regulations. Under penaltites of perfury, I declare that the information entered on this report is, to the best of my knowledge and belief, tru correct, and complete. Date	. PLEASE ENTER N	AME(S) OF SOI	LE PROPRIETOR	K(S), OFFICER	S OR PARTNERS AND	TITLES	(e.g. preside	ent, treasurer,	general	partner,	limited pa	rtner)							
oneur penalues or pergury, rocciare that the information entered on this report is, to the best of my knowledge and belief, tru correct, and complete. Date	. CERTIFICATION ST	ATEMENT (to	be completed	by authorize	ed official)							7000							
correct, and complete. Date		· · · · · · · · · · · · · · · · · · ·	-		Under	penaitie	es or perjury	rith the Feder r, I declare tha	al Motor	Carrler S ormation	afety Reg	ulations and/o	r Federa	l Hazard best of r	ous Mate	rials Regula edge and b	ations. pelief, true		
	ignature				correc	t, and co	omplete.												


Marking of Commercial Motor Vehicles 49 C.F.R. § 390.21

Name of the Operating Motor Carrier &

USDOT identification number

- Both Sides of Power Unit
- Sharply Contrasting Color
- o Legible From 50 Feet
- If Name of Any Other Person Appears
 Carrier Name Must Be Preceded By
 "Operated By"

\$50 Penalty for Improper Marking



Driver Qualifications

- 21 years of age (18 years for intrastate non-HM drivers)
- Able To Safely operate the vehicle
- Be Physically Qualified
- Posses Valid/Proper CDL



Driver Disqualification

- Loss of Driving Privileges
 Revocation, Suspension, Withdrawal
- Criminal Offenses

DUI, Leaving Accident Scene, Felony Involving CMV

Violation of Out-of-Service Orders

DRIVER QUALIFICATION FILE CHECKLIST

- Driver's Application for Employment
- Inquiry to Previous Employers 3 Years
- DL Inquiry to State Agencies 3 Years
- Annual MVR Inquiry to State Agencies
- Annual Review/Certification of Driving Record
- Annual Driver's Certification of Violations
- Driver's Road Test Certificate or Equivalent (CDL copy)
- Medical Examiner's Certificate

EMPLOYMENT APPLICATION REQUIREMENTS

- Signed by applicant
- Contain name and address of employing motor carrier
- Applicant's name, address, DOB, SSN
- Past 3 years residency from date of application
- Date application is submitted
- Issuing state, number and expiration date of each unexpired license
- Nature and extent of applicants experience, including type of truck, bus, etc.
- List of all vehicle accidents during the 3 years preceding application date, specifying date, nature, and injuries or fatalities
- List of all vehicle law violations (excluding parking) convicted of during the 3
 years preceding application date
- A statement setting forth in detail the facts and circumstances of any denial, suspension, revocation, etc of their DL, or a statement that none have existed
- List of names and addresses of employers for 3 years (10 years for CDL drivers)
 preceding application date, to include employment dates and reason for leaving
 (after 10-29-04, was the applicant subject to FMCSR's and was alcohol and drug
 testing a requirement).
- Certification and signature line/date must appear at the bottom of the application:
 "This certifies that the application was completed by me, and that all entries on it are true and complete to the best of my knowledge"

MOTOR VEHICLE DRIVER'S CERTIFICATION OF VIOLATIONS

I certify that the following is a true and complete list of traffic violations (other than parking violations) for which I have been convicted or forfeited bond or collateral during the past 12 months.

Date	Offense	Location	Type of Vehicle Operated				
If no violatio on account of	ons are listed above, I certify that I I any violation required to be listed	nave not been convicted or forfeited during the past 12 months.	ed bond or collateral				
(Date of Certification	on)	(Driver's Signature)					
(Motor Carrier's Na	ame)	(Motor Carrier's Address)					
(Reviewed by: Sign	alture)	(Title)					

Driver must report all tickets to carrier within 30 days. Each non-parking violation must be recorded by driver.

Carrier is to acquire driver's MVR each year and compare this list to the MVR and certify they've reviewed the MVR.

MEDICAL EXAMINER'S CERTIFICATE									
I certify that I have examined in accordance with the Federal Motor Carrier Safety Regulations (49 CFR 391.41-391.49) and with knowledge of the driving duties, I find this person is qualified, and, if applicable, only when:									
□ wearing corrective lenses □ wearing hearing aid □ accompanied by a Skill Performance Evaluation Certificate (SPE) □ accompanied by a Griving within an exempt intracity zone (49 CFR 391.62) □ accompanied by a Skill Performance Evaluation Certificate (SPE) □ qualified by operation of 49 CFR 391.64 The information I have provided regarding this physical examination is true and complete. A complete examination form with any attachment embodies my findings completely and correctly, and is on file in my office.									
SIGNATURE OF MEDICAL EXAMINER	TELEPHONE		DATE						
MEDICAL EXAMINER'S NAME (PRINT)	□ MD □ Chiropractor □ DO □ Advaced Practice Nurse □ Physician Assistant □ Chiropractor								
MEDICAL EXAMINER'S LICENSE OR CERTIFICATE NO./ISSUING STATE	NATIONAL REGISTRY	NO.							
SIGNATURE OF DRIVER	INTRASTATE ONLY ☐ YES ☐ NO	CDL YES NO	DRIVER'S LICENSE NO.	STATE					
ADDRESS OF DRIVER									
MEDICAL CERTIFICATION EXPIRATION DATE									

Effective May 21, 2014, anyone that provides a DOT medical examination must be registered in the FMCSA's National Registry of Medical Examiners. If they are not, the card is not valid.

New cards now have a field for the examiner's National Registry Number that must be filled in.

Driver Investigation History File 49 CFR Part 391.23

- Previous Employer Safety Performance History Inquiry to be conducted within 30 days of employment
- Acquire employee's written consent with application
- Request positive or refused alcohol or controlled substances tests
- Obtain information from previous FMCSA-regulated employers for the past three years
- Or documentation of good faith efforts to contact previous employer

Part 392

Driving of Commercial Motor Vehicles



Scope of the Rules

Every Employer and Employee
 Shall Comply and be Conversant
 With These Requirements and
 Specifications.


 No Employer Shall Operate a Commercial Motor Vehicle Unless it is Properly Equipped.

What Is Covered By Part 393?


- ✓ Lighting devices, Reflectors & Tape
 - ✓ Electrical Equipment Wiring Specifications
- ✓ Brakes
 - ✓ Parking Brakes, Breakaway, Low Air Warning
- ✓ Window Construction and Tint
 - ✓ Allow 70 % transmittance of light
- ✓ Fuel Systems
 - ✓ Construction, location, venting systems
- ✓ Coupling Devices and Towing Methods
 - ✓ Fifth wheel, saddle mount, safety devices

Part 393 Continued

- ✓ Miscellaneous Parts & Accessories
 - ✓ Tires, Speedometer, Rear-End Protection, Horn
- ✓ Emergency Equipment
 - ✓ Fire Extinguisher, Triangles
- ✓ Protection against Shifting and Falling Cargo
- ✓ Frames, Cab and Body Components
 - √ Wheels, rims
 - ✓ Suspension Systems
 - ✓ Steering Systems



Intrastate Drivers' Hours of Service



Three Classifications of Drivers:

- Drivers operating solely in intrastate commerce not transporting hazardous materials
- 2) Drivers transporting hazardous materials
- 3) Drivers of non-public sector buses

Note: More than one classification may apply to your drivers depending upon the work they perform.

Drivers' Hours of Service Definitions:

<u>Air mile</u> – a "nautical mile" equivalent to 1.1508 statute miles
 100 air miles = 115.08 statute miles

150 air miles = 172.62 statute miles

- <u>Driving time</u> all time spent at the driving controls of a commercial motor vehicle in operation
- On duty all time from the time a driver begins to work or be in readiness to work until the time the driver is relieved from work and all responsibility for performing work

Intrastate Drivers Not Transporting Hazardous Materials or Passengers: § 316.302(2), FL Statute

- 12 Hour Rule May not drive more than 12 hours following 10 consecutive hours off duty
- 16 Hour Rule May not drive after the end of the 16th hour after coming on duty following 10 consecutive hours off duty
- 30 Minute Break Does NOT apply to intrastate carriers, with the exception of hazardous material haulers. Refer to Florida Statute 316.302(2)(a) which excepts intrastate carriers from 49 CFR Part 395.3(A) or (B), which outlines the rest break.

Options For Obtaining a 10-Hour Rest Period:

- At least 10 consecutive hours off duty
- At least 10 consecutive hours of sleeper-berth time
- A combination of consecutive sleeper-berth and off duty time amounting to at least 10 hours
- At least 8 consecutive hours in a sleeper-berth and a separate period of at least 2 consecutive hours either in the sleeperberth or off duty, or any combination thereof

Intrastate Drivers Not Transporting Hazardous Materials or Passengers: § 316.302(2), FL Statute

- 70 hour rule may not drive after having been on duty more than 70 hours in 7 consecutive days (motor carriers not operating every day of the week)
- 80 hour rule may not drive after having been on duty more than 80 hours in 8 consecutive days (motor carriers operating every day of the week)

Intrastate Drivers Not Transporting Hazardous Materials or Passengers: § 316.302(2), FL Statute

34 consecutive hours off duty shall constitute the end of any 7 or 8 day period.

**Please note, effective Dec. 16, 2014, two restrictions that were placed on the 34 hour restart have been suspended pending further study to see if the requirements are beneficial to safety practices. They are requiring two periods between 1:00 am and 5:00 am and that 34 hour restarts can only be used once per every 168 hours. There is currently no limit on when and how many times the 34 hour restart can be used weekly.

Exceptions: Any period of 7 or 8 consecutive days may end with the beginning of any off duty period of 24 or more successive hours for:

- Ground water well drilling operations
- Construction materials and equipment
- Utility service vehicles

(See 49 C.F.R. § 395.1)

Intrastate Drivers <u>Not</u> Transporting Hazardous Materials or Passengers: § 316.302(2), FL Statute

Within a 150 air-mile radius – retain time records for 6 months showing:

- Time the driver reports for duty
- Time the driver is released from duty
- Total hours on duty
- Preceding 7 days' time for first-time or intermittent drivers
- Driving times throughout the duty period (if driver is not released from duty within 12 hours)

Beyond a 150 air-mile radius – maintain records of duty status in accordance with 49 C.F.R. § 395.8. (example: daily log)

Drivers Transporting Hazardous Materials: 49 C.F.R. § 395.3

- 11 Hour Rule May not drive more than 11 cumulative hours following 10 consecutive hours off duty
- 14 Hour Rule May not drive after the end of the 14th hour after coming on duty following 10 consecutive hours off duty
- 60 Hour Rule May not drive after having been on duty 60 hours in any 7 consecutive days (motor carriers not operating every day of the week)
- 70 Hour Rule May not drive after having been on duty 70 hours in any 8 consecutive days (motor carriers operating every day of the week)
- 30 Minute Rest Period Must not drive if more than 8 hours have passed since last off-duty or sleeper berth period of at least 30 minutes (includes on duty time).

Drivers Transporting Hazardous Materials: 49 C.F.R. § 395.1(e)

Any period of 7 or 8 consecutive days may end with the beginning of any off duty period of 34 or more consecutive hours.

Exceptions: Any period of 7 or 8 consecutive days may end with the beginning of any off duty period of 24 or more successive hours for:

- Ground water well drilling operations
- Construction materials and equipment
- Utility service vehicles

(See 49 C.F.R. § 395.1)

Drivers Transporting Hazardous Materials: 49 C.F.R. § 395.1(e)

100 Air-mile radius drivers are exempt from 49 C.F.R. § 395.8 (log book requirement if:

- ✓ The driver returns and is released from work within 12 consecutive hours
- ✓ The driver has at least 10 consecutive hours off duty separating each 12 hours on duty
- ✓ The motor carrier retains time records for 6 months showing:
 - Time the driver reports for duty
 - Time the driver is released from duty
 - Total hours on duty
 - Preceding 7 days' time for first-time or intermittent drivers

Drivers of Non-public Sector Buses: 49 C.F.R. § 395.5

Non-public sector bus — a non-governmental bus used to transport persons for compensation

- 10 Hour rule may not drive more than 10 hours following 8 consecutive hours off duty
- 15 Hour rule may not drive after having been on duty 15 hours following 8 consecutive hours off duty
- 60/70 Hour rule may not drive after having been on duty 60 hours in any 7 consecutive days or 70 hours in any 8 consecutive days

Vehicle Files

Inspection, Repair and Maintenance

49 C.F.R. Part 396.3

Applies to:

- √ Vehicles with GVWR 10,001 or more
- Designed to transport more than 8 passengers (including driver) for compensation
- Transports Hazmat

Required records:

- √ Identification of the vehicle
- ✓ Nature and due date of inspection / maintenance
- ✓ Records of inspection, repair and maintenance

Record retention:

Retain records where the vehicle is housed or maintained for 1 year; and for 6 months after the vehicle leaves your control.

Driver Vehicle Examination Reports

(Roadside Inspections)

49 C.F.R. § 396.9

- Correct all Out of Service violations prior to operation
- Correct all other violations prior to re-dispatch
- Certify and return the inspections with vehicle violations to the issuing agency within 15 days
- Copy must be maintained at principal place of business for 12 months

Driver's Vehicle Inspection Report Check Any Defective Item and Give Details Under "Remarks." DATE: __ TRUCK/TRACTOR NO. ____ ☐ Air Compressor ☐ Horn Springs ☐ Air Lines Lights ☐ Starter Head - Stop □ Steering □ Battery □ Brake Accessories Tail - Dash □ Tachograph □ Brakes Turn Indicators □ Tires □ Carburetor ☐ Mirrors Transmission □ Clutch ☐ Muffler ☐ Wheels Defroster ☐ Oil Pressure □ Windows □ Drive Line □ On-Board Recorder Windshield Wipers □ Engine □ Radiator □ Other □ Fifth Wheel □ Rear End ☐ Front Axle □ Reflectors □ Fuel Tanks □ Safety Equipment ☐ Heater Fire Extinguisher Flags-Flares-Fusees Spare Bulbs & Fuses Spare Seal Beam TRAILER(S) NO.(S) __ □ Brake Connections ☐ Hitch □ Tarpaulin Landing Gear □ Brakes □ Tires Wheels □ Coupling Chains □ Lights – All □ Roof □ Other □ Coupling (King) Pin □ Doors Springs Remarks: ____ CONDITION OF THE ABOVE VEHICLE IS SATISFACTORY DRIVER'S SIGNATURE. □ ABOVE DEFECTS CORRECTED ☐ ABOVE DEFECTS NEED NOT BE CORRECTED FOR SAFE OPERATION OF VEHICLE MECHANIC'S SIGNATURE ...

Driver Vehicle Inspection Reports

(Post Trip Inspections) 49 C.F.R. § 396.11

- Effective December 2014,
 Drivers of PROPERTY carrying vehicles are only required to complete a post-trip inspection report if a defect exists.
- PASSENGER carriers must still complete post-trip inspection reports daily regardless of whether or not a defect exists.
- Certify corrective action
- Maintain for 3 months
- Carriers with one truck are exempt as they were prior to the rule change.

Periodic Inspection

49 C.F.R. §§ 396.17-25

- ✓ Inspect vehicles at least once every 12 months
- Prepare a report identifying the following:
 - Individual performing the inspection
 - Motor carrier operating the vehicle
 - Date of the inspection
 - Vehicle inspected
 - Components inspected and the results
- ✓ Retain inspection reports for 14 months (Current and one past)
- ✓ Level I Roadside Inspection with no violations can suffice

MOTOR CARRIER OFFICE TRACTOR T												VE	HICLE HISTORY RECORD FLEET UNIT NUMBER
WENDER COMMENT OF PET THE CONTROL OF PET THE										H	_	AUTOR	PLEET ONL HOMBEN
TRACTOR TRAC										\vdash	DAT	E	
UKS VEHICLE (PART CORPORATE LIC. PLATE NO. VN OTHER VEHICLE (PART CORPORATE) VEHICLE (PA	MO	TORIC	ARRIER	OPERATOR					INSPECTOR'S NAME (PRINT OF	R TYP	E)		
UKS VEHICLE (PART CORPORATE LIC. PLATE NO. VN OTHER VEHICLE (PART CORPORATE) VEHICLE (PA	L												
VEHICLE COMPONENTS INSPECTED ITEM	ADO	HESS	3							QUAL	FICA	TON RE	QUIREMENTS IN SECTION 396.19.
CK Mark Mark Name Na	CIT	r, sta	VTE, ZIP	CODE					VEHICLE IDENTIFICATION (P)	AND C	OMP	ETE.	LIC. PLATE NO. DVIN DOTHER
CRITICAL COMPONENTS INSPECTED CRITICAL	VEH	ICLE	TYPE I	TRACTOR FITBALER FITBLICK					INSPECTION AGENCY/LOCATION	ON (O	PTION	WL)	
ITEM										,		-,	
1. BRAKE SYSTEM a. Service Brakes b. Parking Brake System c. Brake Durms or Rotors d. Brake Hose e. Brake Tubing Device g. E. Brake Tubing J. Low Pressure Warning Device J. Low Pressure Warning J. Low Pressure J. Low Pressure Warning J. Low Pressure J. Low Pressure Warning J. Wheels and Rims J. Low Pressure Warning J. Wheels and Rims J. Marting J. Wheels and Rims J. How Pressure Warning J. Wheels and Rims J. How Pressure J. Wheels and Rims J. Whee					٧	EH	ICLE	COMPO	NENTS INSPECTED				
a. Service Brakes b. Parking Brake System c. Brake Dums or Robots d. Brake Hose e. Brake Tubing l. Low Pressure Warning Device g. Tractor Protection Valve h. Air Compressor i. Electric Brakes l. Hydraulic Brakes l. Hydraulic Brakes c. CUPLING DEVICES a. Fire Name Members condition of loading such that the spare ire or any part of the lead or dumnage can fall onto the roadway. b. Protection against shifting cargo c. Disawbar/Towbar Tongue e. Safety Devices l. Saddle-Mounts c. Exhaust system determined to be lesiking at a part for the value of which as a point forward of or directly below the diversible eper compartment. b. A bus exhaust system determined to be lesiking at a point forward of or directly below the diversible eper compartment. b. A bus exhaust system leaking or discharging to the atmosphere in wiolation of standards (1), (2) or (3) c. No part of the exhaust system of any most position, burning, charing, or damaging the electrical wiring, the fuel supply, or any combustible part of the burning, charing, or damaging the electrical wiring, the fuel supply, or any combustible part of the burning, charing, or any combustible part of the burning, charing, or damaging the electrical wiring, the fuel supply, or any combustible part of the burning, charing, or damaging the electrical wiring, the fuel supply, or any combustible part of the burning, charing, or damaging the electrical wiring, the fuel supply, or any combustible part of the	СК	HEIZK BLP47	BEFF FED DATE		СΚ	HEIZY HEPAT	REPUPED DATE			ОК	HEIZX BLP47	BEFN FRED DATE	
b. Parking Brake System c. Brake Drums or Robrs d. Brake Hose e. Brake Tubing f. Low Pressure Warning Device g. Tractor Protection Valve h. Air Compressor i. Electric Brakes j. Hydraubil Brakes k. Vacuum Systems 2. COUPUNG DEVICES a. Fifth Wheels b. Pintle Hocks c. Drawbar/Towbar Tongue e. Safety Devices f. Sadel-Mounts f. Mounts-Mounts f. Sadel-Mounts f. Mounts-Mounts f. Mounts-Mounts f. Mounts-Mounts f. Moun					ı		ı			ı			
. c. Brake Hose d. Brake Hose e. Brake Tucing I. Low Pressure Warning Device J. Fractor Protection Valve h. Air Compressor I. Bectic Brakes J. Hydraulic Brakes L. Vacuum Systems L. Sactely Devices D. Pintle Hocks L. Drawbar/Towhar Tongue E. Safety Devices L. Saddle-Mounts L. Sa	ш				ᆫ	┖	Ь			⊢	┖		
d. Brake Hose a Brake Tuting f. Low Pressure Warning Device g. Tractor Protection Valve h. Air Compressor i. Electric Brakes j. Hydraulic Brakes k. Vacuum Systems 2. COUPLING DEVICES a. Fifth Wheels b. Printle Hocks c. Protection against shifting derive see an fall onto the roadway. d. Drawbar/Towbar Tongue a. Safety Devices f. Saddle-Mounts f. Saddle-Mounts g. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point forward of or directly below the diversible eper compartment. b. A bus exhaust system determined to be leaking at a point forward of or directly below the diversible eper compartment. b. A bus exhaust system leaking or discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the first electrical wiri	Н				╙	┡	ـــــ			⊢	┖		
e. Brake Tubing f. Low Pressure Warning Device g. Tractor Protection Valve h. Air Compressor i. Electric Brakes j. Hydraulic Brakes k. Vacuum Systems 2. COUPUNG DEVICES a. Fifth Wheels b. Pintle Hocks c. Drawbar/Towbar Tongue d. Drawbar/Towbar Tongue f. Sadele-Mounts 3. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point forward of or diseretly below the driver/sleeper compartment. b. A bus exhaust system determined to be leaking at a point forward of or diseretly below the driver/sleeper compartment. b. A bus exhaust system determined to the leaking of discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing of discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing of discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing of discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing of discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing of discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing or discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing or discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing or discharging to the almosphere in violation or standards (1), (2) or (3). c. No part of the exhaust system dealing or discharging to the position in shifting of an axide from its normal position. Device or missing the selectical willing, the first provided the position axide from its normal position. Device or missing the selectical willing the shifting to the condition which missing the selectical willing, the first provided the condition which missing the selectical willing, the first provided the condition which missing	\vdash				⊢	\vdash	⊢			\vdash	L	<u> </u>	
f. Low Pressure Warning Device Device Device Device Graphy Section	Н				╙	┡	Ь			1			
Device g. Tractor Protection Valve h. Air Compressor i. Electric Brakes i. Electric Brakes i. Hydrautic Br	Н				ı		ı			⊢	⊢		
g. Tractor Protection Valve h. Air Compressor i. Bectic Brakes j. Hydraulic Brakes k. Vacuum Systems c. COUPLING DEVICES a. Fifth Wheels b. Pintel Hocks c. Drawbar/Towbar Eye d. Drawbar/Towbar Eye a. Safety Devices t. Saddle-Mounts c. Steering Column determined to be leaking at a point forward of or directly below the diversible per compartment. b. Aus exhaust system c. Steering Golumn determined to be leaking at a point forward of or directly below the diversible per compartment. b. Aus exhaust system col standard (1), (2) or (3) c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or any combusible part of the					⊢	⊢	⊢			ı			
h. Air Compressor i. Electric Brakes j. Hydraulic Brakes k. Vacuum Systeme 2. COUPLING DEVICES a. Fifth Wheels b. Protection against shifting cargo can fall onto the roadway. b. Protection against shifting cargo can fall onto the roadway. can fall onto the roadway. b. Protection against shifting cargo can fall onto the roadway. can fall onto the roadway. can fall onto the roadway. b. Protection against shifting cargo can fall onto the roadway. can	Н				ı		ı			⊢	⊢		
i. Electric Brakes j. Hydraulic Brakes k. Vacuum Systerne 2. COUPLING DEVICES a. Fifth Wheels b. Pintle Hocks c. Drawbar/Towbar Eye d. Drawbar/Towbar Eye d. Drawbar/Towbar Eye d. Safety Devices 1. Saddle-Mounts 3. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point forward of directly below the driver/sleeper compartment. b. A bus exhaust system leaking or discharging to the almosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system half be an ordered as would be likely to result in burning, charring, or damaging the electrical wiring, the full supply, or any combusible part of the	Н	_			⊢	⊢	⊢			1			
j. Hydraulic Brakes k. Vacuum Systems 2. COUPLING DEVICES a. Fifth Wheels D. Pintle Hocks C. Drawbar/Towbar Eye D. Drawbar/Towbar Tongue E. Sadely Devices D. Sadely Devices D. Sadely Devices D. Sadely Devices D. Sadely Mounts D. Steering Column C. Front Axle Beam and All Steering Components Delow the driver/sleeper D. Steering Column	Н		_		ı		ı			⊢	Н	_	
k. Vacuum Systems 2. COUPLING DEVICES a. Fifth Wheels b. Printe Hooks b. Printe Hooks c. Datawar/Towhar Eye d. Drawbar/Towhar Tongue a. Safety Devices f. Saddle-Mounts c. Safety Devices b. Steering Wheel Free Play b. Steering Column c. Front Axle Beam and All Steering Components determined to be leaking at a point forward of or directly below the diversible per compartment. b. A bus exhaust system deaking or discharging to the almosphere in violation or standards (1), (2) or (3) c. No part of the exhaust system of damaging the electrical wing, the result is purified. burning, Andron vehicle shall be so located as would be likely to result in burning, Anaring, or damaging the electrical wing, the result is purified. burning, Anaring, or damaging the electrical wing, the result supply, or any combusible part of the	Н	Н			⊢	⊢	⊢			ı			
2. COUPLING DEVICES a. Fifth Wheels b. Pintle Hocks c. Drawbar/Towbar Eye d. Drawbar/Towbar Eye d. Drawbar/Towbar Eye e. Safety Devices b. Steering Mheel Free Play e. Safety Devices c. Front Axe Beam and All Steering Column determined to be leaking at a point forward of or directly below the diversible per compartment. b. A bus exhaust system leaking or discharging to the almosphere in violation of standards (1), (2) or (3) c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or any combusible part of the	Н	_	_		ı		ı			⊢	Н		
2. COUPUNG DEVICES a. Fifth Wheels b. Printe Hocks c. Drawbar/Towbar Torgue c. Safety Devices c. Safety Devices d. Safety Devices c. Safety Devices d. Safety Devices c. Safety Devices d. Steering Column d. Steering Components Other Than Steering Column determined to be leaking at a point forward of or directly below the diversibleeper compartment. d. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3) c. d. Welds 12. WiNDSHIELD GLAZING Requirements and exceptions as stated pertaining to any	Н	_		k. vacuum Systems	ı		ı			⊢	Н	_	
a. Fifth Wheels b. Protection against shifting cargo c				a compute priviore	ı		ı			⊩	Н		
b. Pintle Hocks c. Drawbar/Towbar Eye d. Drawbar/Towbar Tongue e. Safety Devices t. Saddle-Mounts 2. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point forward of or directly below the diversible per compartment. b. A bus exhaust system leaking or discharging to the almosphere in wiolation of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of standards (1), (2) or (3). c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical winting the leaking of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical winting the leaking of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical winting the lates supply, or any combusible part of the					ı		ı			Н	Н		
c. Drawbar/Towbar Eye d. Drawbar/Towbar Tongue e. Safety Devices l. Saddle-Mounts l. Saddle-Mounts c. Front Axle Beam and All Steering Components 3. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point forward of or directly below the diversibeleper compartment. b. A bus exhaust system leaking or discharging to the almosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system of ary motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical witing, the fuel supply, or any combusible part of the	Н	_			⊢	⊢	⊢			ı			
d. Drawbar/Towbar Tongue e. Safety Devices f. Saddle-Mounts 3. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point forward of or directly below the driver/sleeper compartment. b. A bus shaust system leaking or discharging to the almosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system system of any motor vehicle shall be so located as would be likely to result in burning, charing, or damaging the electrical wiring, the fuel euphy, or any combusible part of the	Н	_			⊢	⊢	⊢			⊢	Н		
e. Safety Devices f. Saddle-Mounts 5. Steering Column c. Front Axle Beam and All steering Components Column determined to be leaking at a point forward of or directly below the driverisleeper compartment. b. A bus exhaust system leaking or discharging to the almosphere in wiolation of standards (1), (2) or (3) c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical winning, the fuel supply, or any combusible part of the	Н				ı		ı			ı			
t. Saddle-Mounts 2. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point florward of or directly below the driversileeper compartment. b. A bus exhaust system leaking or discharging to the almosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combusible part of the	Н	-			⊢	Н	-			ı			
3. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point forward of or directly below the driver/sileeper compartment. b. A bus exhaust system leaking or discharging to the almosphere in wiolation of standards (1), (2) or (5). c. No part of the exhaust system system of any motor vehicle shall be so located as would be likely to result in burning, charring, or any combusible part of the	Н	Н			⊢	Н	-			ı			
3. EXHAUST SYSTEM a. Any exhaust system determined to be leaking at a point forward of or directly below the diversible per compartment. b. A bus exhaust system leaking or discharging to the almosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system of ary motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical witing, the fuel supply, or any combusible part of the	Н			i. Gadae-incuris	Н	Н	-			Н	Н		
a. Any exhaust system determined to be lasking at a point forward of or directly below the driver/sleeper compartment. b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combusible part of the				3 EXHAUST SYSTEM	ı		ı			ı			
determined to be leaking at a point forward of or directly below the driver/sleeper compartment. b. A bus exhaust system leaking or discharging to the almosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wing, the first supply, or any combusible part of the					ı		I			Н	t		
a point forward of or directly below the driversiteeper compartment. b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wing, the fuel supply, or any combusible part of the	Н				ı		I			1		l	
below the driver/sleeper compartment. b. A bus shaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel euptyl, or any combusible part of the					Г		-			1		l	
compartment. b. A bus exhaust system leaking or discharging to the atmosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system of arry motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical willing, the fuel supply, or any combustible part of the Ball and Socket Joints i. Nuts Steering System i. Steering System S. SUSPENSION a. Any U-bolt(s), spring hanger(s), or other able positioning part(s) cracked, broken, loose or missing resulting in shifting of an able from its normal position. Spring Assembly any combustible part of the combustib					Г	Г				г	Г		
b. A bus exhaust system leaking or discharging to the almosphere in violation of sandards (1), (2) or (3). c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical witing, the fuel supply, or any combusible part of the combustible part of the com					Г	Г				1		l	
leaking or discharging to the almosphere in violation of standards (1), (2) or (5). c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical willing, the fuel supply, or any combusible part of the combustions and the fuel supply or any combusible part of the combustions and the fuel supply or any combusible part of the combustions. Nuts steering System of a Steering System of a Steering System of a Arry U-bolt(s), spring hanger(s), or other ade positioning part(s) cracked, broken, loose or missing resulting in shifting of an ade from its normal position.					Г					1		l	
the atmosphere in violation of standards (1), (2) or (3). c. No part of the exhaust system of any motor vehicle shall be so located as would be likely to result in burning, charring, or damaging the electrical witing, the fuel supply, or any combustible part of the	П				Г		г			1		l	
of standards (1), (2) or (3). c. No part of the exhaust system of any motor verificle shall be so located as would be likely to result in burning, charring, or damaging the electrical witing, the fuel supply, or any combusible part of the care o					Г			j. St	eering System	1		l	
system of any motor vehicle shall be so located as positioning part(s) cracked, would be likely to result in burning, charring, or damaging the electrical witing, the fuel supply, or any combustible part of the combustible					Г		Γ	8. SUSF	ENSION	1		l	
shall be so located as would be likely to result in burning, charring, or damaging the electrical wiring, the fuel supply, or any combusible part of the part of specifical position in part (s) cracked, broken, loose or missing resulting in shifting of an aule from its normal position. b. Spring Assembly any combusible part of the creating the creating the part of the creating the part of the creating	L			c. No part of the exhaust	L	L	L	a. An	y U-bolt(s), spring	1		l	
shall be so located as would be likely to result in burning, charring, or damaging the electrical witing, the fuel supply, or any combustible part of the problem of the pr	Г			system of any motor vehicle	Г		Γ	ha	nger(s), orotheraxle	1			
burning, charring, or damaging the electrical wining, the fuel supply, or any combusible part of the company to					ı		I			1		l	
damaging the electrical aule from its normal position. wiinig, the fuel supply, or any combustible part of the				would be likely to result in	ı		I	bro	ken, loose or missing	1		l	
wiring, the fuel supply, or b. Spring Assembly any combustible part of the c. Torque, Radius or Tracking				burning, charring, or	ı		I	res	sulting in shifting of an	1		l	
any combustible part of the c. Torque, Radius or Tracking				damaging the electrical	ı		I	ax	e from its normal position			l	
				wiring, the fuel supply, or	L	L	L			1		l	
motor vehicle. Components.				any combustible part of the				c. To	rque, Radius or Tracking	1		l	
				motor vehicle.	Г		Ι	Co	mponents.	1		l	

INSPECTOR QUALIFICATIONS

Certification - 49 CFR - Part 396.19

Motor carriers are responsible for ensuring that individual(s) performing an annual inspection under 396.19 are qualified as follows:

				1				
_	Understands the inspection criteria set forth in Part 393 and Appendix G and can identify defective components							
_	Is knowledgeable of and has mastered the methods, procedures, tools and equipment used when performing an inspection							
_				of performing an inspection by reason of experience, training, or both, and quali- of the following categories (check all that apply):				
	I.		Sta	ccessfully completed a State or Federal training program or has certificate from a te or Canadian Province which qualifies the person to perform commercial vehicle tety inspections. Specify:				
			-	or				
	II.			we a combination of training or experience totaling at least one year as follows neck all that apply):				
		A.		Participation in a truck manufacturer-sponsored training program or similar commercial training program designed to train students in truck operation and maintenance. Where and Date:				
		В.		(years) experience as a mechanic or inspector in a motor carrier maintenance program. Name and Date:				
		C.		(years) experience as a mechanic or inspector in truck maintenance at a commercial garage, fleet leasing company, or similar facility. Name of Facility and Dates:				
		D.		(years) experience as a commercial vehicle inspector for a State, Provincial, or Federal Government. Where and Dates:				
C	ertif	y ti	he a	bove information is true and accurate to the best of my knowledge.				
En	ıploy	yee		Signature of Mechanic/Inspector Date				
Me	otor	Ca	rrie	er/Company				
				Signature of Employer/Supervisor Date				
Ξv	ideno	ce (of II	spector Qualifications are on file at:				

Carriers Performing Own Periodic Inspections Must Maintain Completed Forms Indefinitely

BRAKE INSPECTOR QUALIFICATIONS

Certification - 49 CFR - Part 396.25

"Brake Inspector" means any employee of a motor carrier who is responsible for ensuring all brake inspections, maintenance, service, or repairs to any commercial motor vehicle, subject to the motor carrier's control, meet the applicable Federal standards.

No motor carrier shall require or permit any employee who does not meet minimum brake inspector

				to be responsible for the inspection, maintenance, service or repairs of ϵ totor vehicles.	my brakes on its				
Mi	nim	um	Qı	alifications					
	Understands and can perform brake service and inspection								
	Is knowledgeable of and has mastered the methods, procedures, tools and equipment necessary to perform brake service and inspection								
				of performing brake service or inspection by reason of experience, train n one of the following categories (check all that apply):	ning, or both, and				
	I.		Ca Ca	s successfully completed an apprenticeship program sponsored or appro nadian Province, a Federal agency or labor union, or has a certificate fiv nadian Province which qualifies the person to perform brake service or exify:	om a State or				
			_	or					
	II.			s brake-related training or experience or a combination thereof totaling lows (check all that apply):	at least one year as				
		A.		Participation in a brake maintenance or inspection training program sp or vehicle manufacturer or similar commercial training program. When					
		В.		(years) experience performing brake maintenance or inspection in maintenance program. Name and Date:	n a motor carrier				
		C.		(years) experience performing brake maintenance or inspection a garage, fleet leasing company, or similar facility. Name of Facility and					
Ιc	ertii	fy ti	he a	bove information is true and accurate to the best of my knowledge.					
En	nplo	yee		Signature of Mechanic/Inspector Date					
Me	otor	Ca	rrie	r/Company					
					Date				
Ev	iden	ice (of II	nspector Qualifications are on file at:					
-									

Record Retention

<u>Driver Files</u>: As long as driver is employed and for three years thereafter, save current medical card and one past medical card

Vehicle Files: One year and for an additional six months after vehicle leaves carrier's control and save current and one past vehicle annual inspection

Time Records: Six months

Daily Driver Vehicle Inspections: 90 Days

Roadside Inspections: One Year

Part 397

Transportation of Hazardous Materials



Domestic Security

Motor carriers involved in transportation of hazardous materials must:

- Develop and implement a security plan
- Train employees to recognize and react to potential security threats







FHP's Bureau of Commercial Vehicle Enforcement conducts on-site Security Contact Reviews and Corporate Security Reviews

Driving and Parking Rules



- Attendance
- Parking
- Smoking
- Fueling
- Routing
- Railroad Crossings





Records



- Maintain Shipping Papers/Manifests For 375 days
- Keep PHMSA / Federal Hazmat Registration Current
- Maintain Security Plans
- Document Drivers' Hazmat Training
- Document All Employees' Hazmat Training

Why Are Motor Carriers Selected For Compliance Investigations?

- Crashes/HM Incidents
- Two or more BASIC alerts for two or more months consecutively
- Substantiated Complaints
- Security Contact Reviews



Purpose of Compliance Investigations

- To Assess Existing Safety Management Controls
- To Provide Educational and Technical Assistance
- To Reduce the Risk of Motor Vehicle Crashes

Compliance Investigation Close Out



The Officer Will Explain the Findings of the Review and Discuss Any Suggestions for Improving Your Safety Program.

Violations May Result in Penalties

First Compliance Investigation

May Result in Penalties up to \$5,000

Follow Up Compliance Investigation

May Result in Penalties up to \$25,000

Second Follow Up Compliance Investigation

 May Result in Penalties up to \$25,000 and Enjoinment (Out-of-Service Order)

Florida Highway Patrol Bureau of Commercial Vehicle Enforcement

Compliance Review Coordinator
Captain Kenny Morris 850-617-2284

Compliance Review Operational Analyst Ashley McClellan 850-617-2282

Related Websites:

Florida Department of Highway Safety and Motor Vehicles
Bureau of Commercial Vehicle Enforcement

http://www.flhsmv.gov/fhp/CVE

((O

United States Department of Transportation Federal Motor Carrier Safety Administration http://www.fmcsa.dot.gov

Florida Statutes on-line http://flsenate.gov

USDOT Transportation Safety Institute Courses on HAZMAT, Interstate Operations, etc.

www.tsi.dot.gov

Thank You For Your Attention and Safe Operations!

